



Port Angeles Main Library

Public Area Re-carpeting – Job Scope and Requirements January 8, 2018

NOLS is soliciting bids to re-carpet public areas of the Port Angeles Main Library. The job scope is as follows.

Surfaces to Be Re-carpeted

1. All floor surfaces as shown on the Plan, amounting to approximately five hundred and twenty-five (525) square yards of carpet.

Related Work Included

1. Repair concrete floor adjacent to four (4) electrical floor boxes.
2. Cut carpet around existing shelving units.
3. Replace approximately two-hundred twenty-five (225) linear feet of wall base.

Carpet Materials

1. 24x24” modular carpet tiles.
2. Technical specifications as follows.

ITEM	MINIMUM SPECIFICATIONS	
1	Carpet tiles	Shaw Patcraft Ah-Ha or approved equivalent
2	Color	To be determined by NOLS
3	Traffic Class	Severe
4	Tile size/width	24” W x 24” L
5	Construction	Multi-level pattern loop
6	Yarn type	Nylon
7	Dye method	100% Solution dyed
8	Gauge	1/12
9	Pile thickness	.104
10	Tufted yarn weight	22 oz.
11	Stitches per inch	10.5
12	Primary backing	Non-woven synthetic
13	Secondary backing	EcoWorx Tile or equivalent

14	Radiant panel	Class I, ASTM E-648
15	Green label plus	Yes
16	Recycled content	38% pre-consumer by total weight
17	ADA compliant	
18	Warranty	Lifetime Limited Wear Warranty
		Lifetime Limited Static Protection
		Lifetime Limited Edge Ravel Warranty
		Lifetime Limited Zippering Warranty
		Lifetime Limited Delamination Warranty
		Lifetime Limited Dimensional Stability Protection
		Stain Blocker

Other Materials

1. Carpet adhesive dot system (LokDots brand or approved equivalent).
2. Leveling compound as needed.
3. Wall base and adhesive.

Surface Preparation

1. Scrape, sand or grind surfaces as needed to produce a surface that will successfully accept carpet adhesive.
2. Repair and prep all damaged areas of floor using concrete or approved leveling compound.

Application

1. Apply leveling compound as needed to produce an even and flat surface to which carpet adhesive dots will adhere.
2. Apply carpet adhesive dots as per manufacturer’s instructions.
3. Install carpet per manufacturer’s instructions in a pattern approved by NOLS.
4. Install wall base per manufacturer’s instructions.

Submittals

1. Contractor will receive NOLS’ approval for all carpet and wall base materials prior to carpet installation.

Conditions

1. Contractor must be licensed, insured and bonded to perform the specified type of work in Washington State.
2. Contractor must pay employees the current prevailing wage rate in Washington State for the type of work specified.
3. Contactor must include three references of comparable work with their bid.

Substantial completion of work to re-carpet portions of the Port Angeles Library is due Friday, April 6, 2018.

Sealed bids will be accepted until 10:00 am Monday, January 22, 2018.

Bids may be dropped-off, mailed, emailed or faxed to:

Brian Phillips, Facilities Manager
North Olympic Library System
2210 S. Peabody St.
Port Angeles, WA 98362
Phone: 360-417-8500 ext. 7743
Fax: 360-457-3125
Bphillips@nols.org

Contact Brian Phillips with questions.